



VINIL ADESIVO

Ideal material for visual communication,
digital printing, electronic cut and
silkscreen



www.locomotiva.com.br

FLCPRINT Line

Digital Printing

Produced by FLC Plásticos, a consolidated brand in the PVC flexible laminated market, quality and high technology synonymous, Self-adhesive Vinyl is indicated to be used in visual communication, where it can be explored in decoration, signage of where or vehicles.

The product consists of a self-adhesive film composed of a PVC film calendered, water-based adhesive and paper liner.

Characteristics


- Product for indoor and outdoor;
- Technologies:
 - PIJ digital printing;
 - Screenprinting.
- Durability (expected): 1 year (external exposure) and 2 years (internal exposure).

*The expected durability is for adhesive vinyl. To check the durability of the printed image, it is recommended to contact the manufacturer of the printer and the provider of ink.

Technical Characteristics

| | |
|---------------------------------------|--------------------------|
| Film | Calendered monomeric PVC |
| Film thickness (mm) | 0,08 / 0,10 |
| Adhesive type | Permanent water acrylic |
| Liner weight (g/m²) | 130 (Paper) |
| Roll width (m) | 1,06 / 1,22 |
| Roll length (m) | 50 |
| Adhesive color | Clear / Gray / Black |

Cores



Line **FLCOLOR**

Eletronic Cut

Produced by FLC Plásticos, a consolidated brand in the PVC flexible laminated market, quality and high technology synonymous, Self-adhesive Vinyl is indicated to be used in visual communication, where it can be explored in decoration, signage of where or vehicles.

The product consists of a self-adhesive film composed of a PVC film calendered, water-based adhesive and paper liner.












Characteristics

- Product for indoor and outdoor;
 - Technologies:
 - Eletronic cutting.
 - Durability (expected): 1 year (external exposure) and 2 years (internal exposure).
- *The expected durability is for adhesive vinyl. To check the durability of the printed image, it is recommended to contact the manufacturer of the printer and the provider of ink.





Technical Characteristics

| | |
|---------------------------------------|--------------------------|
| Film | Calendered monomeric PVC |
| Film thickness (mm) | 0,08 |
| Adhesive type | Permanent watery acrylic |
| Liner weight (g/m²) | 120 (Paper) |
| Roll width (m) | 1,06 / 1,22 |
| Roll length (m) | 50 |
| Adhesive color | Clear |

Shine Series:



*(Request upon inquiry)



Matte Series:



Brushed Series:




*(Request upon inquiry)


CARACTERÍSTICAS



**INDOOR AND OUTDOOR
DURABILITY**



GOOD FLEXIBILITY



**EXCELLENT
PRINTABILITY**



EASY APPLICATION



APPROPRIATE THICKNESS

